



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/521,723	03/09/2000	Sam Mazza	024/1	3713

7590 06/10/2005

GREGORY D CALDWELL
BLAKELY, SOKOLOFF, TAYLOR & ZAFMAN LLP
12400 WILSHIRE BOULEVARD
SEVENTH FLOOR
LOS ANGELES, CA 90025

EXAMINER

POON, KING Y

ART UNIT	PAPER NUMBER
----------	--------------

2624

DATE MAILED: 06/10/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 09/521,723	Applicant(s) MAZZA, SAM	
	Examiner King Y. Poon	Art Unit 2624	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 31 March 2005.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-3,6-8 and 10-14 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-3,6-8 and 10-14 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 26 January 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 1/28/2005 has been entered.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims 1-3 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kageyama et al. (US 5,303,336) in view of Kyle (US 6,141,681).

Regarding claim 1: Kageyama teaches a method of presenting data (document data, column 4, lines 45-51) to a viewing entity (print server 14, column 4, lines 52-55) having a viewer, (command processing part, 163, column 6, lines 43-47) comprising the steps of: providing unformatted data (non converted document data, that is transmitted from terminals, column 4, lines 46-51, which is to be converted, column 8, lines 11-

Art Unit: 2624

20) to the viewing entity, (print server 14, column 4, lines 52-55) the data comprising one or more unformatted data portions (e.g., 1521, 1522, column 4, lines 55-60) to be converted into a format (the format of the common command of the document data, column 8, lines 10-20, converted from printing command) viewable (executable by the command processing part, column 8, lines 11-16, column 6, lines 43-47) to the viewer and one or more tags (protocol identifier, column 4, lines 55-60, 1521-a, 1522a, fig. 2B) to identify each of the unformatted data portions (1521, 1522, fig. 2B); providing a plurality of formatters, (command conversion programs corresponding to the different printing protocols of the print data, column 8, lines 15-20, column 6, lines 32-34) for the viewer, each of which is capable of formatting one or more of the unformatted data portions into the format viewable to the viewer; locating the formatters by the viewer for each of the unformatted data portions (since the command conversion/interpretation is carried out by the command processing part using prepared conversion programs corresponds to different printing protocols, column 8, lines 11-20, the command processing part must first locate the program before the command processing part can use the program; also see column 6, lines 32-50, and column 7, lines 60-65) based, at least in part (locating is also based on where the formatter is located; inherent properties of locating) on the associated identifying tag (column 8, lines 10-20, abstract), said formatters plug-able into the viewer (the viewer/command processing program runs the command conversion program/formatter; therefore, the formatter/command conversion program is plugged into the viewer/command processing program); and formatting (converted, column 8, line 14) each of the

Art Unit: 2624

unformatted data portions (e.g., document data 1521, 1522, column 6, lines 26-35) by the located formatters (conversion program, column 8, line 17) to the format (the format of the common command, column 8, line 16; since the common command is converted from the printing command; inherently, the common command and the printing command are in different data format) viewable to the viewer (command processing part, column 8, lines 13, column 6, lines 43-47).

Kageyama does not teach the command processing part, in the first embodiment, is implemented in software. (Column 3, lines 17, specification of this application defines the viewer is implemented in software)

However, Kageyama, in column 16, lines 1-5, fifth embodiment, teaches the command processing part is preferably composed of a program/software, and the program can be used to run other program such as the character code processing program (Column 15, lines 59-68).

Since Kageyama teaches a program is used because the program can be extended/added function (extensibility, column 16, line 2; for example, command processing part is added with a character code processing functions by running a character code processing program, column 15, lines 59-68), and the command processing part, in the first embodiment of Kageyama runs another program/command conversion program in the command processing part; it would have been obvious to a person with ordinary skill in the art at the time the invention was made to have modified Kageyama's command processing part to include: implementing the command processing part of Kageyama using software to run the command conversion program.

It would have been obvious to a person with ordinary skill in the art at the time the invention was made to have modified Kageyama's command processing part because of the following reasons: (a) it would have allowed the command processing part to be extended by the command conversion program; (b) replacing a defective hardware cost more compare to downloading software because once the software is created, it would be downloaded multiple times, while broken hardware must be replaced with new ones each time; and (c) it is much easier to update the software, such as downloading the updated software from the Internet, compares to upgrading the hardware.

Kageyama also does not teach providing, together with the unformatted data portions, the plurality of formatters.

Kyle, in the same area of sending data, from a computer system to another computer system, to be formatted by the another computer system, teaches together with the unformatted data portions, (420, fig. 4) a plurality of formatters (416, fig. 4) for formatting the unformatted data portions.

Therefore, it would have been obvious to a person with ordinary skill in the art at the time the invention was made to have modified Kageyama's method of formatting data to include: providing, together with the unformatted data portions, the plurality of formatters.

It would have been obvious to a person with ordinary skill in the art at the time the invention was made to have modified Kageyama's method of formatting data by the teaching of Kyle because of the following reasons: (a) it would have prevented the

Art Unit: 2624

computer of Kageyama from “hang” when the computer does not have the formatter prepared for formatting the data received as taught by Kyle at column 1, lines 52-60; and (b) it would have prevented the formatter from consuming Kageyama’s computer resources as taught by Kyle at column 2, lines 1-6.

Regarding claim 2: Kageyama teaches a step of providing identifiers (identifiers, column 4, lines 46-51, column 6, lines 32-35) for each of the unformatted data portions (e.g., document data 1521 and 1522, column 6, lines 32-35); and using the identifier to locate the formatters (the command processing part 163 discriminates protocol identifier in the data, column 5, lines 1-5, and process the print command of the data using conversion program corresponds to the identified protocol, column 8, lines 11-21).

Regarding claim 3: Kageyama teaches wherein the identifiers (identifiers, column 4, lines 46-51, column 6, lines 32-35) comprises tags (inherent properties of an identifiers) included in the data portions (e.g., document data 1521 and 1522, column 6, lines 32-35).

3. Claims 11-14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kageyama et al. (US 5,303,336).

Regarding claim 11: Kageyama teaches a system (print server 14, column 5, line 17) for formatting (converting, column 8, lines 12-15) unformatted data (document data before conversion, column 8, lines 13-15) having one or more unformatted portions (document data 1521, 1522, column 6, lines 25-30) to be viewable (executable by the command processing part, column 8, lines 11-16, column 6, lines 43-47) to a viewer,

Art Unit: 2624

(command processing part, column 8, line 13) comprising: conversion means (command conversion programs, column 8, lines 15-20, and the memory that store the command conversion means; inherently a program is located in a memory) for converting the unformatted data portions (document data before conversion, column 8, lines 13-15, e.g., document data 1521, 1522, column 6, lines 25-30) into a format (the format of the common command, column 8, lines 14-15; since the common command is converted from the printing command; inherently, the common command and the printing command are in different data format) viewable to the viewer, identifying means (printing protocol discriminating means, column 5, lines 1-3) for identifying each of the unformatted data portions (column 6, lines 32-35); and locating means (the command processing part identifies the printing protocol, column 5, lines 1-5, and the command conversion is carried out, in the command processing part, by using different command conversion programs corresponding to the identified printing protocol, column 8, lines 10-20; therefore, the command processing part must have a function part that locates the memory location of the memory where the program is being stored) for the viewer, by using the identifying means, (printing protocol discrimination part, column 5, lines 1-3) to locate the conversion means (command conversion programs, column 8, lines 15-20, and the memory that stores the command conversion means) for each of the unformatted data portions (document data 1521, 1522, column 6, lines 25-30), wherein the conversion means is selected based, at least in part (selection is also based on the type of conversion means), on contents of a tag (printing protocol identifier, column 4,

Art Unit: 2624

lines 55-65, column 8, lines 10-20, 1521a, 1522a, fig. 2B) associated with each unformatted data portion (1521, 1522, fig. 2B).

Kageyama does not teach the command processing part, in the first embodiment, is implemented in software. (Column 3, lines 17, specification of this application defines the viewer is implemented in software)

However, Kageyama, in column 16, lines 1-5, fifth embodiment, teaches the command processing part is preferably composed of a program/software, and the program can be used to run other program such as the character code processing program (Column 15, lines 59-68).

Since Kageyama teaches a program is used because the program can be extended/added function (extensibility, column 16, line 2; for example, command processing part is added with a character code processing functions by running a character code processing program, column 15, lines 59-68), and the command processing part, in the first embodiment of Kageyama runs another program/command conversion program in the command processing part; it would have been obvious to a person with ordinary skill in the art at the time the invention was made to have modified Kageyama's command processing part to include: implementing the command processing part of Kageyama using software to run the command conversion program.

It would have been obvious to a person with ordinary skill in the art at the time the invention was made to have modified Kageyama's command processing part because of the following reasons: (a) it would have allowed the command processing part to be extended by the command conversion program; (b) replacing a defective

Art Unit: 2624

hardware cost more compare to downloading software because once the software is created, it would be downloaded multiple times, while broken hardware must be replaced with new ones each time; and (c) it is much easier to update the software, such as downloading the updated software from the Internet, compares to upgrading the hardware.

Kageyama also does not teach the conversion means being separately located from the viewer.

However, Kageyama, fig. 4, second embodiment, teaches command processing programs (16A1-16A3) run by the viewer/command processing part (163a) are being separately located from the viewer to reduce the memory requirement of the command processing part. (Column 9, lines 10-16, column 9, lines 40-45)

Therefore, it would have been obvious to a person with ordinary skill in the art at the time the invention was made to have modified Kageyama's command processing part to include: the conversion means being separately located from the viewer.

It would have been obvious to a person with ordinary skill in the art at the time the invention was made to have modified Kageyama's command processing part because of the following reasons: (a) it would have reduced the memory requirement for storing the command processing part/software, and (b) reduce in memory would reduce the cost of implementing the viewer.

Regarding claim 12: Kageyama teaches wherein the conversion means (command conversion programs, column 8, lines 15-20, and the memory for storing the command conversion means) comprises a plurality of formatters, (command conversion

Art Unit: 2624

programs, column 8, lines 15-20) each of which is capable of converting at least one of the unformatted data portions (document data, e.g., 1521, 1522, column 6, lines 25-30) into the format. (The format of the common command, column 8, lines 10-20)

Regarding claim 13: Kageyama teaches wherein the formatters are plug-able in the viewer. (As discussed in claim 11, the viewer/command processing program runs the command conversion program/formatter; therefore, the formatter/command conversion program is plugged into the viewer/command processing program).

Regarding claim 14: Kageyama teaches wherein the identifying means comprises a plurality of tags (e.g., identifiers 1521a and 1522a, column 6, lines 32-35) each of which identifies one of the data portions. (E.g., 1521 and 1522, column 6, lines 32-35)

4. Claims 6-8, 10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kageyama et al (US 5,303,336) in view of Nagasaka (US 5,511,156).

Regarding claim 6: Kageyama teaches a method of presenting data (document data, column 4, lines 45-51) to a viewer (command processing part, 163, column 6, lines 43-47), comprising the steps of: providing unformatted data (non converted document data, that is transmitted from terminals, column 4, lines 46-51, which is to be converted, column 8, lines 11-20) to the viewer, the unformatted data including a plurality of unformatted data portions (e.g., the unconverted data 1521, 1522, column 6, lines 25-35) having associated tags (protocol identifier, column 4, lines 55-65, column 8, lines 10-20) indicating a type of formatting to be used; providing a plurality of formatters,

Art Unit: 2624

(conversion programs, column 8, lines 10-20) each of which is capable of formatting one or more unformatted data portions (printing command in the document data, column 8, lines 10-15) into at least one format (the format of the common command, column 8, lines 15-17; since the common command is converted from the printing command; inherently, the common command and the printing command are in different format) viewable (executable by the command processing part, column 8, lines 11-16, column 6, lines 43-47) to the viewer; locating (since the command conversion/interpretation is carried out by the command processing part using prepared conversion programs corresponds to different printing protocols, column 8, lines 11-20, the command processing part must first locate the program before the command processing part can use the program; also see column 6, lines 32-50, and column 7, lines 60-65) by the viewer, for each unformatted data portion (e.g., the document data, column 8, lines 11-16, that is to be converted) to be viewable (executable by the command processing part, column 8, lines 11-16, column 6, lines 43-47) to the viewer, a formatter (the command conversion program corresponds to the protocol of the document data, column 8, lines 15-21, column 6, lines 32-35) capable of converting the each unformatted data portion to a format (the format of the common command, column 8, lines 14-16) viewable (executable by the command processing part, column 8, lines 11-16, column 6, lines 43-47) to the viewer (command processing part, column 8, line 13); and formatting (converting, column 8, line 14) each unformatted data portion (e.g., the document data, column 8, lines 11-16, that is to be converted) by the located formatter (the conversion program that is being used, column 8, lines 15-21) to the

Art Unit: 2624

format viewable (executable by the command processing part, column 8, lines 11-16, column 6, lines 43-47) to the viewer.

Kageyama does not teach the command processing part, in the first embodiment, is implemented in software. (Column 3, lines 17, specification of this application defines the viewer is implemented in software)

However, Kageyama, in column 16, lines 1-5, fifth embodiment, teaches the command processing part is preferably composed of a program/software, and the program can be used to run other program such as the character code processing program (Column 15, lines 59-68).

Since Kageyama teaches a program is used because the program can be extended/added function (extensibility, column 16, line 2; for example, command processing part is added with a character code processing functions by running a character code processing program, column 15, lines 59-68), and the command processing part, in the first embodiment of Kageyama runs another program/command conversion program in the command processing part; it would have been obvious to a person with ordinary skill in the art at the time the invention was made to have modified Kageyama's command processing part to include: implementing the command processing part of Kageyama using software to run the command conversion program.

It would have been obvious to a person with ordinary skill in the art at the time the invention was made to have modified Kageyama's command processing part because of the following reasons: (a) it would have allowed the command processing part to be extended by the command conversion program; (b) replacing a defective

Art Unit: 2624

hardware cost more compare to downloading software because once the software is created, it would be downloaded multiple times, while broken hardware must be replaced with new ones each time; and (c) it is much easier to update the software, such as downloading the updated software from the Internet, compares to upgrading the hardware.

Kageyama also does not teach presenting data to a plurality of viewers such that all of the unformatted data portion can be formatted at relevant viewers.

Nagasaka, in the same area of formatting data (converting intermediate code into raster image, column 7, lines 5-10) portions (column 6, lines 59-60) using a viewer (PDL parallel processing interpreter, column 29, lines 50-52, column 5, lines 43-50) running other programs (e.g., rasterizer 212, column 7, lines 9, column 5, lines 43-45) used to format the unformatted data, (intermediate code) teaches sending data portions (intermediate code portions, column 6, lines 59-60) to a plurality of viewers (PDL parallel processing interpreter, column 6, lines 1-67, column 7, lines 1-4) such that all of the unformatted data portion (intermediate code portions) can be formatted at relevant viewers (Column 7, lines 5-15) at the same time. (Column 6, lines 25-30)

Therefore, it would have been obvious to a person with ordinary skill in the art at the time the invention was made to have modified Kageyama's presenting data method to include: presenting data to a plurality of viewers such that all of the unformatted data portion can be formatted at relevant viewers at the same time.

It would have been obvious to a person with ordinary skill in the art at the time the invention was made to have modified Kageyama's data presenting method by the

Art Unit: 2624

teaching of Nagasaka because of the following reasons: (a) it would have allowed Kageyama's data processing to realize a high speed and high density processing, as taught by Nagasaka at column 2, lines 18-20, especially when the viewer is implemented in software, Nagasaka, column 2, lines 5-17; and (b) it would have reduced the memory required to store the formatted data for the viewer as taught by Nagasaka at column 2, lines 20-27.

Regarding claim 7: Kageyama teaches a step of providing a plurality of identifiers (identifiers 1521a, 1522a, column 6, lines 32-35) each of which identifies one of the data portions (1521 and 1522, column 6, lines 32-35); and using the identifiers of the data portions to locate the formatter (the command processing part 163 discriminates protocol identifiers in the data, column 5, lines 1-5, and process the print command of the data using conversion program corresponds to the identified protocol, column 8, lines 11-21).

Regarding claim 8: Kageyama teaches wherein the identifiers (identifiers 1521a, 1522a, column 6, lines 32-35) are tags (identifiers are tags) included in relevant data portions (1521 and 1522, column 6, lines 32-35).

Regarding claim 10: Kageyama teaches wherein the formatters are plug-able into each of viewers that locates them. (As discussed in claim 6, the viewer/command processing program runs the command conversion program/formatter; therefore, the formatter/command conversion program is plugged into the viewer/command processing program).

Response to Arguments

With respect to applicant's argument that the limitation of "at least in part on the associated tag" is described in the specification on page 4, lines 6-9. This paragraph on page 4 describes the tags that are included in the unformatted data for identifying each data portion and how a specific formatter is located for each data portion by using the identifying tag of that data portion; has been considered.

In reply: With the applicant's admission that disclosing "identifying each data portion and how a specific formatter is located for each data portion by using the identifying tag of that data portion" is the same as disclosing "identifying each data portion and how a specific formatter is located for each data portion based at least in part on the identifying tag of that data portion;" the 112 first paragraph rejection is being withdrawn.

With respect to applicant's argument that Neither Kageyama nor Kyle discloses or suggests providing unformatted data that includes data portions with associated identifying tags that are used to locate a formatter for the data portion to convert that data portion to a format viewable by the viewer and providing a plurality of formatters plug-able into the viewer together with the unformatted data portions; has been considered.

In reply: Kageyama teaches a method of presenting data (document data, column 4, lines 45-51) to a viewing entity (print server 14, column 4, lines 52-55) having a viewer, (command processing part, 163, column 6, lines 43-47) comprising the steps

Art Unit: 2624

of: providing unformatted data (non converted document data, that is transmitted from terminals, column 4, lines 46-51, which is to be converted, column 8, lines 11-20) to the viewing entity, (print server 14, column 4, lines 52-55) the data comprising one or more unformatted data portions (e.g., 1521, 1522, column 4, lines 55-60) to be converted into a format (the format of the common command of the document data, column 8, lines 10-20, converted from printing command) viewable (executable by the command processing part, column 8, lines 11-16, column 6, lines 43-47) to the viewer and one or more tags (protocol identifier, column 4, lines 55-60, 1521-a, 1522a, fig. 2B) to identify each of the unformatted data portions (1521, 1522, fig. 2B); providing a plurality of formatters, (command conversion programs corresponding to the different printing protocols of the print data, column 8, lines 15-20, column 6, lines 32-34) for the viewer, each of which is capable of formatting one or more of the unformatted data portions into the format viewable to the viewer; locating the formatters by the viewer for each of the unformatted data portions (since the command conversion/interpretation is carried out by the command processing part using prepared conversion programs corresponds to different printing protocols, column 8, lines 11-20, the command processing part must first locate the program before the command processing part can use the program; also see column 6, lines 32-50, and column 7, lines 60-65) based, at least in part (locating is also based on where the formatter is located; inherent properties of locating) of the associated tag (column 8, lines 10-20), said formatters plug-able into the viewer (the viewer/command processing program runs the command conversion program/formatter; therefore, the formatter/command conversion program is

Art Unit: 2624

plugged into the viewer/command processing program); and formatting (converted, column 8, line 14) each of the unformatted data portions (e.g., document data 1521, 1522, column 6, lines 26-35) by the located formatters (conversion program, column 8, line 17) to the format (the format of the common command, column 8, line 16; since the common command is converted from the printing command; inherently, the common command and the printing command are in different data format) viewable to the viewer (command processing part, column 8, lines 13, column 6, lines 43-47).

Kageyama does not teach the command processing part, in the first embodiment, is implemented in software. (Column 3, lines 17, specification of this application defines the viewer is implemented in software)

However, Kageyama, in column 16, lines 1-5, fifth embodiment, teaches the command processing part is preferably composed of a program/software, and the program can be used to run other program such as the character code processing program (Column 15, lines 59-68).

Since Kageyama teaches a program is used because the program can be extended/added function (extensibility, column 16, line 2; for example, command processing part is added with a character code processing functions by running a character code processing program, column 15, lines 59-68), and the command processing part, in the first embodiment of Kageyama runs another program/command conversion program in the command processing part; it would have been obvious to a person with ordinary skill in the art at the time the invention was made to have modified

Kageyama's command processing part to include: implementing the command processing part of Kageyama using software to run the command conversion program.

It would have been obvious to a person with ordinary skill in the art at the time the invention was made to have modified Kageyama's command processing part because of the following reasons: (a) it would have allowed the command processing part to be extended by the command conversion program; (b) replacing a defective hardware cost more compare to downloading software because once the software is created, it would be downloaded multiple times, while broken hardware must be replaced with new ones each time; and (c) it is much easier to update the software, such as downloading the updated software from the Internet, compares to upgrading the hardware.

Kageyama also does not teach providing, together with the unformatted data portions, the plurality of formatters.

Kyle, in the same area of sending data, from a computer system to another computer system, to be formatted by the another computer system, teaches together with the unformatted data portions, (420, fig. 4) a plurality of formatters (416, fig. 4) for formatting the unformatted data portions.

Therefore, it would have been obvious to a person with ordinary skill in the art at the time the invention was made to have modified Kageyama's method of formatting data to include: providing, together with the unformatted data portions, the plurality of formatters.

It would have been obvious to a person with ordinary skill in the art at the time the invention was made to have modified Kageyama's method of formatting data by the teaching of Kyle because of the following reasons: (a) it would have prevented the computer of Kageyama from "hang" when the computer does not have the formatter prepared for formatting the data received as taught by Kyle at column 1, lines 52-60; and (b) it would have prevented the formatter from consuming Kageyama's computer resources as taught by Kyle at column 2, lines 1-6.

With respect to applicant's argument that Kageyama does not teach the conversion means being separately located from the viewer; has been considered.

Kageyama does not teach the conversion means being separately located from the viewer.

However, Kageyama, fig. 4, in the second embodiment, teaches command processing programs (16A1-16A3) run by the viewer/command processing part (163a) are being separately located from the viewer to reduce the memory requirement of the command processing part. (Column 9, lines 10-16, column 9, lines 40-45)

Therefore, it would have been obvious to a person with ordinary skill in the art at the time the invention was made to have modified Kageyama's command processing part to include: the conversion means being separately located from the viewer.

It would have been obvious to a person with ordinary skill in the art at the time the invention was made to have modified Kageyama's command processing part because of the following reasons: (a) it would have reduced the memory requirement for

Art Unit: 2624

storing the command processing part/software, and (b) reduce in memory would reduce the cost of implementing the viewer.

Conclusion

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to King Y. Poon whose telephone number is (571) 272-7440

June 2, 2005

A handwritten signature in black ink, appearing to read 'King Y. Poon', with a stylized flourish at the end.

**KING Y. POON
PRIMARY EXAMINER**